

### City of Auburn, Maine

Financial Services
Jill Eastman, Director
www.auburnmaine.gov | 207.333.6601
60 Court Street, Auburn, Maine 04210

August 23, 2019

Dear Bidder;

The City of Auburn is accepting written Bids for the Auburn Public Works Department for a <u>Current Model Year or 2020-Four Wheel Drive 16000 lb. GVW- One Ton Dump Truck with Plow and Sander.</u> The City reserves the right to accept or reject any or all Bids in whole or in part and to waive any informality the City may determine necessary. The City also reserves to itself the exclusive right to accept or reject any Bids when it is deemed by the City to be in its best interest. The City of Auburn is governed by Title 1 M.R.S.A. § 401-410, otherwise known as the Freedom of Information Act, which considers bid specifications as public documents. In awarding any Bid, the City may consider, but not be limited to, any of the following factors: Bidder qualifications, price, experience, financial standing with the City, warranties, references, bonding, delivery date, and service of Bidder. Successful Vendors/Contractors shall be current on all amounts due to the City of Auburn prior to the City entering into any contract agreement. All bids must include FOB to Auburn, Maine unless otherwise specified.

Bids will not receive consideration unless submitted in accordance with the following instructions. Please mark sealed envelopes plainly: <u>"Current Model Year or 2020-Four Wheel Drive 16,000 lb. GVW-One Ton Dump Truck with Plow and sander - Bid 2020-009.</u>

Questions regarding this Request for Bids should be directed to Scott Holland, Deputy Director, at (207) 333-6601, ext. 2155 or Derek Boulanger, Facilities Manager/Purchasing Agent, at (207) 333-6601, ext. 1135.

Please submit your Bid to the City of Auburn by 2:00 p.m. on Tuesday, September 10, 2019. **Bids** must be delivered to Derek Boulanger, Facilities Manager/ Purchasing Agent, 60 Court Street, Auburn, Maine 04210 on or before the date and time appointed. No Bids will be accepted after the time and date listed above.

Sincerely,

Derek Boulanger Facilities Manager/Purchasing Agent

### **Table of Contents**

Conditions and Instructions to Bidders	3
General Conditions	4
Equal Employment Opportunity	4
Save Harmless	
Subcontracting	4
Warranty	4
Proposal Form	
Specifications	
Bid Proposal Form	

#### CONDITIONS AND INSTRUCTIONS TO BIDDERS

- 1. Bidders shall use the enclosed bid form for quotations. Whenever, in bid forms, an article is defined by using a trade name or catalog number, the term "or approved equal", if not inserted, shall be implied.
- 2. Submit a separate unit price for each item unless otherwise specified in the bid request. Award will be made on a basis of each item, or as a group, whichever is in the best interest of the City. Prices stated are to be "delivered to destination".
- 3. Bid proposals must be completed in full, in ink and must be signed by firm official. Bid proposal must be notarized prior to bid being sealed and will be disqualified if not notarized. Bids may be withdrawn prior to the time set for the official opening.
- 4. Bids will be opened publicly. Bidders or representatives may be present at bid opening.
- 5. Awards will be made to a responsible bidder, considering the quality of the materials, date of delivery, cost which meets specification and is in the best interest to the City of Auburn.
- 6. All transportation charges, including expense for freight, transfer express, mail, etc. shall be prepaid and be at the expense of the vendor unless otherwise specified in the bid.
- 7. The terms and cash discounts shall be specified. Time, in connection with discount offered, will be computed from date of delivery at destination after final inspection and acceptance or from date of correct invoice, whichever is later.
- 8. The City is exempt from payment of Federal Excise Taxes on the articles not for resale, Federal Transportation Tax on all shipments and Maine Sales Tax and Use Taxes. Please quote less these taxes. Upon application, exemption certificate will be furnished with the Purchase Order when required.
- 9. Time of delivery shall be stated. If time is of the essence, the earliest date may be a factor in the bid award.
- 10. No contract may be assigned without the written consent of the Finance Director or designate. The contract shall not be considered valid until a purchase order has been issued to the successful bidder.
- 11. Please state <u>"Current Model Year or 2020- Four Wheel Drive 16,000 lb. GVW- One Ton Dump Truck with Plow and sander- Bid 2020-009"</u> on submitted sealed envelope.
- 12. The City of Auburn reserves the right to waive any formality and technicality in bids whichever is deemed best for the interest of the City of Auburn.

#### **GENERAL CONDITIONS**

#### 1. Equal Employment Opportunity

The City of Auburn is an Equal Opportunity Employer and shall not discriminate against an applicant for employment, and employee or a citizen because of race, color, sex, marital status, physical and/or mental handicap, religion, age, ancestry or natural origin, unless based upon a bona-fide occupation qualification. Vendors and contractor or their agents doing business with the City shall not violate the above clause or the Civil Rights Acts of 1964. Violations by vendors shall be reviewed on a case-by-case basis and may mean an automatic breach of contract or service to the City of Auburn.

#### 2. Save Harmless

The Bidder agrees to protect and save harmless the owner from all costs, expenses or damages that may arise out of alleged infringement of patents of materials used.

#### 3. Subcontracting

The Bidder shall not subcontract any part of the work or materials or assign any monies due it without first obtaining the written consent of the municipality. The Bidder is responsible for all approved sub-contracted work. The Bidder is responsible for managing all aspects of subcontracting work. Neither party shall assign or transfer its interest in the contract without the written consent of the other party.

#### 4. Warranty

The Bidder warrants that all work will be of good quality and free from faults and defects, and in conformance with the specifications. All work not so conforming to these standards may be considered defective. The Bidder agrees to be responsible for the acts and omissions of all of its employees and all subcontractors, their agents and employees, and all other persons performing any of the work under a contract with the Bidder. If these specifications, either in whole or in part, do not meet all Federal and State of Maine DOT and ICC mandates it shall be the responsibility of the successful bidder to bring specifications into compliance prior to awarding bid.

#### **PROPOSAL FORM:**

Due Tuesday September 10, 2019

To: City of Auburn
Derek Boulanger,
Facilities Manager/Purchasing Agent
60 Court Street
Auburn, ME 04210

The undersigned individual/firm/business guarantees this price for thirty days (30) from the proposal due date. The undersigned submits this proposal without collusion with any other person, individual, or firm or agency. The undersigned ensures the authority to act on behalf of the corporation, partnership or individual they represent; and has read and agreed to all of the terms, requests, or conditions written herein by the City of Auburn, Maine.

By signing this form, the firm listed below hereby affirms that its bid meets the minimum specifications and standards as listed above.

Signature	Company	
Name (print)	Telephone #	
Title	Fax #	
Address		
Web Site		
STATE OF MAINE		
, SS.	Date:	
Personally, appeared	and acknowledged the foregoing instrument to be	
his/her free act and deed in his/her	capacity and the free act and deed of said company.	
	Notary Public	
	Print Name	
	Commission Expires	

## <u>SPECIFICATIONS FOR: Current Model Year or 2020-Four Wheel Drive 16000 lb. GVW-One Ton Dump Truck with Plow with options</u>

Trade-ins: (trade-ins will be available and transacted on date of delivery of new equipment.)
FAILURE TO ANSWER ALL QUESTIONS COULD LEAD TO REJECTION OF BID

		Yes	No	<u>Var.</u>
ENGINE	Gas Engine Minimum 385 HP -424 Torque			
TRANSMISSION	6 speed Automatic			
ALTERNATOR/S	Minimum of 220 Amp Heavy Duty			
	Options -2 Alternators Min of 357 Amps			
AXEL	Front axle spring minimum 7000 lbs.			
	Rear axle dual rear wheel, leaf spring minimum 12,000 lbs.			
	Limited slip differential with axle ratio of 4.88			
DDAVEC	Shock absorbers must be extra heavy-duty Gas			
BRAKES	Four Wheel Disc with Anti-Lock Brake system (ABS)			
STEERING	Power steering with steering damper			
BATTERIES	Dual 750 CCA 78 AH Single for Gas			
FUEL TANK	Minimum of 30-gallon tank mounted to provide a clean frame			
	rail for dump body installation. Fuel tank neck must come to the			
	edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable.			
BUMPER - FRONT	Front license plate Bracket			
DOWN LK - I KONI	Tow hook front (2) mounted in such a way as no not interfere			
	with the operation on the plow and rated for a minimum of			
	12,000 lbs.			
MIRRORS	, ,			
WIIKKUKS	Manually telescoping two-way tilt/ trailer tow with west coast type [power /heated glass			
	Rear view 11.5 Day and night			
WHEELS	19.5" Steel wheels			
WITELES	Duel rear wheels			
TIRES	225/70R/x 19.5 G BSW traction			
111125	One spare tire and wheel			
WINDOWS & LOCKS	Power windows			
	Power locks			
	Fixed rear window			
AIR CONDITIONING	Factory installed			
AUDIO SYSTEM	AM/FM/ stereo with digital clock two speakers with aux port			
FLOOR COVER	Full length vinyl with All Weather Driver and Passenger side			
	snow and water collecting rubber floor mats			
INSTRUMENT	All functions must be by the use of a gauge			
CLUSTER	Tachometer gauge			
	Speedometer gauge			
	Voltmeter gauge			

	Engine Temperature gauge	1 1
	Engine Temperature gauge Fuel gauge	
	Oil pressure gauge	
POWER EQUIPMENT	Body up light mounted on dash	
	City will supply a two-way radio, and have it installed by a city	
	approved installer. Vendor will be billed for the labor portion of	
	the bill to have it installed.	
SEAT/S	Heavy Duty Vinyl, 40/20/40 split bench with center armrest and	
SEATING	storage	
AIRBAGS	Drivers side in steering wheel	
	Passenger side in dash mounted	
STEPS	Running boards, or steps	
TRAILER TOW	Trailer Brake controller and wiring kit installed, and operational	
PACKAGE	Truck plug-in connector must be 7 pin round installed in pintle	
	plate	
	Pintle hitch installed with 8 drilled holes to adjust height of 8	
	ton rated hitch	
	All Wiring connections shall be soldered, sealed in shrink-wrap,	
	covered with high temperature corrugated loom and protected	
BODY STYLE &	Dual wheel cab 4x4 with a CA to accommodate a 9 ft dump	
WHEEL BASE	body. Ca to be determined by length of body. 60"  ½ cab shield with expanded steel insert into front wall on dump	
	body to see out rear window into dump body.	
	GVW of 16,000 minimum	
	Payload of up to 8,000 lbs.	
	Clean frame rail from back of cab to end of frame	
	Cab color White, Body Stainless Steele	
EMERGENCY	Front: LED amber strobe lights mounted in front corners of the	
LIGHTING	headboard,4 total, 2 facing forward and 1 on each side as to be	
	seen from both front and side of vehicle. All switches to be dash	
	mounted and labeled.	
	Rear: Stop/Tail/turn to be standard light (not LED). Mounted in	
	the pintle plate. Amber LED strobes are to be mounted in steel	
	boxes in the rear on the left and right of the body	
	Amber LED arrow stick mounted on the top of the headboard	
	below the lip (not above the top on headboard) facing rear. A	
	separate control switch shall be mounted in the cab, arrow stick	
	left, right and flashing operation signals.	
DUMP BODY	9 ft stainless steel body with drop sides	
	Body height Maximum of 42' from top of frame	
	12" side height with brackets for sideboards	
	45-degree dirt shedding side and rear rails	
	Front panel with 12"x18" expanded steel center of panel for use of rear-view mirror	
	18" two-way tailgate	
	10 two way tangate	

	T	1 1	1	ĺ
	Rubber mud flaps with anti-sail attached to the dump body			
	before and after wheels both left and right sides.			
	Continuously welded construction	1		
	Max capacity of 3 cu yds.			
	Total height cannot be more than 84" from ground, incl. lights			
HYDRAULIC HOIST	Direct lift with sub frame four (4) ton lift hoist			
SYSTEM	Double acting cylinders			
	Electric over hydraulic			
	Body safety prop	1		
	Back up alarm mounted behind pintle plate			
SNOWPLOW	9ft Heavy Duty power reversing plow installed and fully			
EQUIPMENT	functional			
	12" rubber snow foil full length of plow			
	4 HD trip springs	1		
	Plug in pendant control installed and fully functional			
	Replaceable steel cutting edge	1		
	Blade guides and Adjustable shoes, Safety chains			
Sander	Fisher Poly-Cast Hopper Spreader 8' 1.8 cu yd, Inverted			
	V/Vibrator or equivalent			
MANUALS	One parts, operation, and service manuals.			
	Diagnostic Multi-function port with software and hardware to			
	read included. Any updates that come later must be free to the			
	city, when made available to the vender.			

WARRANTY &	Three (3) year front to back warranty on all components	
DELIVERY	Unit to be fully functioning upon delivery. Or a \$100.00 dollar per calendar day penalty is incurred, for everyday it is not complete.  Optional Five (5) year warranty front to back All safety, operation, and instruction are required upon delivery of the unit by a factory-trained technician.  Free annual training as requested from the City of Auburn. If during the first three years any warranty or work is needed including parts that require the unit to be out of service for more than 48 hours. A comparable loaner unit will be provided to the City at no cost.  Any parts that cannot be shipped FOB to the City of Auburn within 48 hrs. will be discounted at 15 % per calendar day.  All Wiring connections shall be soldered, sealed in shrinkwrap, covered with high temperature corrugated loom and protected	
PAINT	Truck body White standard with proper prep and primer Body Stainless Steele All bolt on parts are painted prior to assembly. All wiring, parts, are not to be painted. All parts, trailer, and hopper are sandblasted prior to painting.	

	Auto primer on all parts and entire unit. 2 (two) coats primer and two coats clear finish topcoat for 6 mil thickness.		
FIRE EXTINGUISHER	Front mounted 5 lb. ABC rated fire extinguisher in a quick release canister		

Exceptions and Deviations:	
Bidder shall fully describe every variance, exception, and/or deviation. If additional space is need please include additional sheets.	ed

#### **BID PROPOSAL FORM**

The undersigned proposes to furnish one (1) Current Model Year or 2020-Four Wheel Drive 16,000 lb. GVW-One Ton Dump Truck with Plow and Sander other accessories in accordance with the Instruction to Bidders and Specifications, both of which are incorporated herein by reference. All components will be complete without the need to modify, fabricate or re-route hoses, wiring, hydraulic to make it fit.

# One (1) Current MODEL YEAR or 2020, Four Wheel Drive 16,000 lb. GVW-One Ton Dump Truck with Plow and sander

	\$
Make and Model and Year	
Associated Equipment	
Less Trades: 2006 F450 w/plow and sander	
(Where is, as is, no implied guarantee at time of trade-in.)	\$
Net FOB Auburn Highway Garage (Total Price)	\$
Please provide additional pricing for the following options	<b>5:</b>
Upgrading to next size Model (Example F550, 5500)	
	\$
9' Poly Reversing plow with central hydraulics	\$
Diesel Engine Minimum of 300HP	\$
Delivery Date:	
Name of Company:	
Signed by:	
Print Name:	
Title:	
Address:	
Email:	