

City of Auburn, Maine

Financial Services
Jill Eastman, Director
www.auburnmaine.gov | 207.333.6601
60 Court Street, Auburn, Maine 04210

August 10, 2017

Dear Bidder;

The City of Auburn is accepting written Bids for the Auburn Public Works Department for **Three 2018 Two Wheel Drive One Ton Dump Trucks.** The City reserves the right to accept or reject any or all Bids in whole or in part and to waive any informality the City may determine necessary. The City also reserves to itself the exclusive right to accept or reject any Bids when it is deemed by the City to be in its best interest. The City of Auburn is governed by Title 1 M.R.S.A. § 401-410, otherwise known as the Freedom of Information Act, which considers bid specifications as public documents. In awarding any Bid, the City may consider, but not be limited to, any of the following factors: Bidder qualifications, price, experience, financial standing with the City, warranties, references, bonding, delivery date, and service of Bidder. Successful Vendors/Contractors shall be current on all amounts due to the City of Auburn prior to the City entering into any contract agreement. All bids must include FOB to Auburn, Maine unless otherwise specified.

Bids will not receive consideration unless submitted in accordance with the following instructions. Please mark sealed envelopes plainly: "Three 2018 Two Wheel Drive One Ton Dump Trucks - Bid 2018-010".

Questions regarding this Request for Bids should be directed to Scott Holland, Deputy Director, at (207) 333-6601, ext. 2155 or Derek Boulanger, Facilities Manager/Purchasing Agent, at (207) 333-6601, ext. 1135.

Please submit your Bid to the City of Auburn by 2:00 p.m. on Thursday, August 31, 2017. **Bids must be delivered to Derek Boulanger, Facilities Manager/ Purchasing Agent, 60 Court Street, Auburn, Maine 04210** on or before the date and time appointed. No Bids will be accepted after the time and date listed above.

Sincerely,

Derek Boulanger Facilities Manager/Purchasing Agent

Table of Contents

Conditions and Instructions to Bidders	3
General Conditions	4
Equal Employment Opportunity	4
Save Harmless	
Subcontracting	4
Warranty	4
Proposal Form	
Specifications	
Bid Proposal Form	

CONDITIONS AND INSTRUCTIONS TO BIDDERS

- 1. Bidders shall use the enclosed bid form for quotations. Whenever, in bid forms, an article is defined by using a trade name or catalog number, the term "or approved equal", if not inserted, shall be implied.
- 2. Submit a separate unit price for each item unless otherwise specified in the bid request. Award will be made on a basis of each item, or as a group, whichever is in the best interest of the City. Prices stated are to be "delivered to destination".
- 3. Bid proposals must be completed in full, in ink and must be signed by firm official. Bid proposal must be notarized prior to bid being sealed and will be disqualified if not notarized. Bids may be withdrawn prior to the time set for the official opening.
- 4. Bids will be opened publicly. Bidders or representatives may be present at bid opening.
- 5. Awards will be made to a responsible bidder, considering the quality of the materials, date of delivery, cost which meets specification and is in the best interest to the City of Auburn.
- 6. All transportation charges, including expense for freight, transfer express, mail, etc. shall be prepaid and be at the expense of the vendor unless otherwise specified in the bid.
- 7. The terms and cash discounts shall be specified. Time, in connection with discount offered, will be computed from date of delivery at destination after final inspection and acceptance or from date of correct invoice, whichever is later.
- 8. The City is exempt from payment of Federal Excise Taxes on the articles not for resale, Federal Transportation Tax on all shipments and Maine Sales Tax and Use Taxes. Please quote less these taxes. Upon application, exemption certificate will be furnished with the Purchase Order when required.
- 9. Time of delivery shall be stated. If time is of the essence, the earliest date may be a factor in the bid award.
- 10. No contract may be assigned without the written consent of the Finance Director or her designate. The contract shall not be considered valid until a purchase order has been issued to the successful bidder.
- 11. Please state "THREE 2018 Two Wheel Drive One Ton Dump Trucks Bid 2018-010" on submitted sealed envelope.
- 12. The City of Auburn reserves the right to waive any formality and technicality in bids whichever is deemed best for the interest of the City of Auburn.

GENERAL CONDITIONS

1. Equal Employment Opportunity

The City of Auburn is an Equal Opportunity Employer and shall not discriminate against an applicant for employment, and employee or a citizen because of race, color, sex, marital status, physical and/or mental handicap, religion, age, ancestry or natural origin, unless based upon a bona-fide occupation qualification. Vendors and contractor or their agents doing business with the City shall not violate the above clause or the Civil Rights Acts of 1964. Violations by vendors shall be reviewed on a case-by-case basis and may mean an automatic breach of contract or service to the City of Auburn.

2. Save Harmless

The Bidder agrees to protect and save harmless the owner from all costs, expenses or damages that may arise out of alleged infringement of patents of materials used.

3. Subcontracting

The Bidder shall not subcontract any part of the work or materials or assign any monies due it without first obtaining the written consent of the municipality. The Bidder is responsible for all approved sub-contracted work. The Bidder is responsible for managing all aspects of subcontracting work. Neither party shall assign or transfer its interest in the contract without the written consent of the other party.

4. Warranty

The Bidder warrants that all work will be of good quality and free from faults and defects, and in conformance with the specifications. All work not so conforming to these standards may be considered defective. The Bidder agrees to be responsible for the acts and omissions of all of its employees and all subcontractors, their agents and employees, and all other persons performing any of the work under a contract with the Bidder. If these specifications, either in whole or in part, do not meet all Federal and State of Maine DOT and ICC mandates it shall be the responsibility of the successful bidder to bring specifications into compliance prior to awarding bid.

PROPOSAL FORM:

Due Thursday, August 31, 2017

To: City of Auburn
Derek Boulanger,
Facilities Manager/Purchasing Agent
60 Court Street
Auburn, ME 04210

The undersigned individual/firm/business guarantees this price for thirty days (30) from the proposal due date. The undersigned submits this proposal without collusion with any other person, individual, or firm or agency. The undersigned ensures the authority to act on behalf of the corporation, partnership or individual they represent; and has read and agreed to all of the terms, requests, or conditions written herein by the City of Auburn, Maine.

By signing this form, the firm listed below hereby affirms that its bid meets the minimum specifications and standards as listed above.

Signature	Company
Name (print)	Telephone #
Title	Fax #
Web Site	
STATE OF MAINE , SS.	Date:
* ''	and acknowledged the foregoing instrument to be capacity and the free act and deed of said company.
	Notary Public
	Print Name
	Commission Expires

SPECIFICATIONS FOR: Two Wheel Drive One Ton Dump Truck

Trade-ins: (trade-ins will be available and transacted on date of delivery of new equipment.)
FAILURE TO ANSWER ALL QUESTIONS COULD LEAD TO REJECTION OF BID

ENGINE Gasoline Minimum HP of 350 with a Torque of 380 ft.lbs TRANSMISSION 6 speed Automatic ALTERNATOR/S Minimum of 150 Amp Heavy Duty Front axle spring minimum 4000lbs Rear axle dual rear wheel, leaf spring minimum 10,000lbs Limited slip differential with axle ratio of no higher than 4.30 Shock absorbers must be extra heavy duty Gas BRAKES Four Wheel Disc with Anti-Lock Brake system (ABS) STEERING Power steering with steering damper BATTERIES 750 CCA 78 AH FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. BUMPER - FRONT Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 "steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft ammest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Figine Temperature			Yes	No	<u>Var.</u>
ALTERNATOR/S Minimum of 150 Amp Heavy Duty AXEL Front axle spring minimum 4400lbs Rear axle dual rear wheel, leaf spring minimum 10,000lbs Limited slip differential with axle ratio of no higher than 4.30 Shock absorbers must be extra heavy duty Gas BRAKES Four Wheel Disc with Anti-Lock Brake system (ABS) STERING Power steering with steering damper BATTERIES 750 CCA 78 AH FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. BUMPER - FRONT Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 " steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats All functions must be by the use of a gauge Tachemeter gauge Speedometer gauge Voltmeter gauge Fuel gauge Oil pressure gauge	ENGINE	Gasoline Minimum HP of 350 with a Torque of 380 ft.lbs			
AXEL Front axle spring minimum 4400lbs Rear axle dual rear wheel, leaf spring minimum 10,000lbs Limited slip differential with axle ratio of no higher than 4.30 Shock absorbers must be extra heavy duty Gas BRAKES Four Wheel Disc with Anti-Lock Brake system (ABS) STEERING Power steering with steering damper BATTERIES 750 CCA 78 AH FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. BUMPER - FRONT Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 " steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats IINSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Coll pressure gauge Fuel gauge Oil pressure gauge Fuel you light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	TRANSMISSION	6 speed Automatic			
Rear axle dual rear wheel, leaf spring minimum 10,000lbs Limited slip differential with axle ratio of no higher than 4.30 Shock absorbers must be extra heavy duty Gas BRAKES Four Wheel Disc with Anti-Lock Brake system (ABS) STEERING Power steering with steering damper BATTERIES 750 CCA 78 AH FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 "steel wheels, Duel rear wheels WINDOWS & LOCKS Fixed rear window AIR CONDITIONING AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	ALTERNATOR/S	Minimum of 150 Amp Heavy Duty			
STEERING Power steering with steering damper BATTERIES 750 CCA 78 AH FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. BUMPER - FRONT Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 " steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER Tachometer gauge Voltmeter gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	AXEL	Rear axle dual rear wheel, leaf spring minimum 10,000lbs Limited slip differential with axle ratio of no higher than 4.30			
BATTERIES 750 CCA 78 AH FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. BUMPER - FRONT Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 ** steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT All functions must be by the use of a gauge Tachometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	BRAKES	Four Wheel Disc with Anti-Lock Brake system (ABS)			
FUEL TANK Minimum of 25 gallon tank mounted to provide a clean frame rail for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 " steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	STEERING	Power steering with steering damper			
for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be fueled are unacceptable. BUMPER - FRONT Front license plate Bracket Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 " steel wheels, Duel rear wheels BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge Oil pressure gauge Fuel gauge Oil pressure gauge Fuel wow and way radio, installed prior to delivery, by a city approved installer.	BATTERIES	750 CCA 78 AH			
Two hooks front MIRRORS Manually telescoping two way tilt/ trailer tow with west coast type WHEELS 17 " steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Speedometer gauge Speedometer gauge Fuel gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	FUEL TANK	for dump body installation. Fuel tank neck must come to the edge of the truck body. Truck beds that must be lifted to be			
WHEELS 17 " steel wheels, Duel rear wheels TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	BUMPER - FRONT	·			
TIRES BSW tires all 6 matching One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	MIRRORS				
One spare tire and wheel WINDOWS & LOCKS Fixed rear window AIR CONDITIONING Factory installed AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	WHEELS	17 " steel wheels, Duel rear wheels			
AUDIO SYSTEM AM/FM/ stereo with digital clock DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	TIRES				
AUDIO SYSTEM AM/FM/ stereo with digital clock Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	WINDOWS & LOCKS	Fixed rear window			
DOOR TRIM Soft armrest, grab handle Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	AIR CONDITIONING	Factory installed			
Rain guards drivers and passengers side FLOOR COVER Full length vinyl with All Weather Driver and Passenger side snow and water collecting rubber floor mats INSTRUMENT CLUSTER All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	AUDIO SYSTEM	AM/FM/ stereo with digital clock			
and water collecting rubber floor mats All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	DOOR TRIM				
CLUSTER Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge Oil pressure gauge POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.	FLOOR COVER				
POWER EQUIPMENT Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a city approved installer.		All functions must be by the use of a gauge Tachometer gauge Speedometer gauge Voltmeter gauge Engine Temperature gauge Fuel gauge			
	POWER EQUIPMENT	Body up light mounted on dash City will supply a two way radio, installed prior to delivery, by a			
	SEAT/S	Heavy Duty Vinyl			

AIRBAGS	Drivers side in steering wheel		
	Passenger side in dash mounted	1	
STEPS	6' angular black molded-in-color running boards		
TRAILER TOW	Trailer Brake controller and wiring kit installed, and operational		
PACKAGE	Truck plug-in connector must be 7 pin round installed in pintle	1	
	plate	1	
	Pintle hitch installed with 8 drilled holes to adjust height of 8 ton	1	
	rated hitch	1	
	Two inch receiver rated for 8 tons	1	
	All Wiring connections shall be soldered, sealed in shrink-wrap,	1	
	covered with high temperature corrugated loom and protected		
BODY STYLE & WHEEL	Dual wheel cab 2x4 with a CA to accommodate an 8ft dump	1	
BASE	body. Ca to be determined by length of body. (60")	1	
	½ cab shield with expanded steel insert into front wall on dump	1	
	body to see out rear window into dump body.	1	
	GVW of 13,000 minimum	1	
	Payload of up to 7,000 lbs	1	
	Clean frame rail from back of cab to end of frame		
	Cab color White, Body color Omaha Orange		
EMERGENCY	Front: LED amber strobe lights mounted in front corners of the	1	
LIGHTING	headboard at a 45 degree angle as to be seen from both front and side of vehicle. All switches to be dash mounted and labeled.	1	
	and side of vehicle. All switches to be dash mounted and labeled.	1	
	Rear: Stop/Tail/turn to be standard light (not LED). Mounted in	1	
	the pintle plate. Amber LED strobes are to be mounted in steel	1	
	boxes in the rear on the left and right of the body		
	Amber LED arrow stick mounted on the top of the headboard		
	below the lip (not above the top on headboard) facing rear. A	1	
	separate control switch shall be mounted in the cab, arrow stick	1	
	left, right and flashing operation signals.	1	
DUMP BODY	8ft steel body with aluminum drop sides		
DUIVIP BODY	Body height Maximum of 42" from top of frame	1	
	10 Gauge high tensile strength steel throughout including radius	1	
	corners and posts	1	
	12.4" side height with brackets for sideboards	1	
	One piece sides with a minimum of two(2) vertical braces	1	
	45 degree dirt shedding side and rear rails	1	
	Front panel with 12"x18" expanded steel center of panel for use	,	
	of rear view mirror	1	
	18.4 two way tailgate	,	
	Fully boxed brace frame with two (2) vertical braces		
	Rubber mud flaps with anti sail attached to the dump body	,	
	before and after wheels both left and right sides.	,	
	Continuously welded construction	,	
	Color – Omaha Orange two coats of primer and two coats of	,	
	clear finish topcoat for 6 mil thickness.	,	
	Max capacity of 3 cu yds.	,	
	Total height cannot be more than 84" from ground, incl. lights		

HYDRAULIC HOIST	Direct lift with sub frame four (4) ton lift hoist		
	Double acting cylinders		
SYSTEM	Electric over hydraulic		
	Body safety prop		
	Back up alarm mounted behind pintle plate		
MANUALS	One parts, operation, and service manuals.		
	Diagnostic Multi function port with software and hardware to		
	read included. Any updates that come later must be free to the		
	city, when made available to the vender.		
WARRANTY &	Three (3) year front to back warranty on all components		
	Unit to be fully functioning upon delivery. Or a \$100.00 dollar per		
DELIVERY	calendar day penalty is incurred, for everyday it is not complete.		
	Optional Five (5) year warranty front to back		
	All safety, operation, and instruction are required upon delivery of		
	the unit by a factory-trained technician.		
	Free annual training as requested from the City of Auburn.		
	If during the first three years any warranty or work is needed		
	including parts that require the unit to be out of service for more		
	than 48 hours. A comparable loaner unit will be provided to the		
	City at no cost.		
	Any parts that cannot be shipped FOB to the City of Auburn with		
	in 48 hrs will be discounted at 15 % per calendar day.		
	All Wiring connections shall be soldered, sealed in shrink-wrap,		
	covered with high temperature corrugated loom and protected		
PAINT	Truck cab White standard with proper prep and primer, dump		
	body Omaha Orange standard with proper prep and primer.		
	All bolt-on parts are painted prior to assembly.		
	All wiring & parts are not to be painted.		
	All parts, trailer, and hopper are sandblasted prior to painting. Auto primer on all parts and entire unit.		
	2 (two) coats primer and two coats clear finish topcoat for 6 mil		
	thickness.		
FIRE EXTINGUISHER	Front mounted 10 lb ABC rated fire extinguisher in a quick release	+	
TIME EXTINGUISHER	canister		
	One (1) box of Five (5) Emergency Reflective triangles		
	(, (-, g)		

Exceptions and Deviations:

exceptions and Deviations.
Bidder shall fully describe every variance, exception, and/or deviation. If additional space is needed
please include additional sheets.

BID PROPOSAL FORM

The undersigned proposes to furnish three (3) Model Year 2018, Two Wheel Drive One Ton Dump Truck and other accessories in accordance with the Instruction to Bidders and Specifications, both of which are incorporated herein by reference. All components will be complete without the need to modify, fabricate or re-route hoses, wiring, hydraulic to make it fit.

Two Wheel Drive One Ton Dump Trucks	\$	
•		
Make and Model and Year		
Associated Equipment	<u></u>	
Less Trades:		
(Where is, as is, no implied guarantee at time of trade-in.)	\$	
Net FOB Auburn Highway Garage (Total Price)	\$	
Delivery Date:		
Name of Company:		
Signed by:		
Print Name:		
Title:		
Address:		
Email:		
Fax:		