

**ADDENDUM NO. 1**

TO

CITY OF AUBURN, MAINE

2026 PAVEMENT RESURFACING PROJECT BID#2026-015

**DATE: 2/10/2026**

*This addendum amends and /or supplements the bid documents as indicated below. Only these items alter the bid documents. Any verbal discussions or responses are hereby declared null and void. Please acknowledge this addendum on the attached Bid Proposal Form.*

---

**Q: Is the pavement needed to patch around adjusted manholes/catch basins being paid under item 403.209?**

**A:** Yes.

**Q: Do you have a breakdown of the number of structures to be adjusted for each location that are included in the base bid?**

**A:** Turner Street; 18 water gates, 3 Sewer MH's, 5 CB's & 3 Storm drain MH's  
Great Falls Plaza; 4 Water gates, 2 Sewer MH's, 11 CB's & 1 Storm drain MH

**Q: Did you mean to use 9.5mm for the shim/overlay surface where you are asking for 1.25" thickness?**

**A:** Yes, new Bid Form attached.

**Q: Is QC going to be required?**

**A:** Yes. QC will be the responsibility of the awarded contractor for both the Shim & Overlay portion and Mill & Fill.

**Q: Can the ¾" Type A shoulder gravel be substituted with another material?**

**A:** Yes, upon the City Engineers' approval.

**Q: What is the start date for this project?**

**A:** April 15<sup>th</sup>, 2026.

**Q: Is there a separate item for driveway gravel from shoulder gravel and can it be placed at the same time?**

**A:** There is a separate item for gravel backing up driveway aprons. Paved driveways can be backed up at the same time as shoulder gravel placement and with the same material.

**Q: What are the changes to the BID FORM?**

**A:** The inclusion of item 202.20 Remove Bituminous Concrete Pavement for the 24" wide, 3" deep spot repair milling on Hatch Road. The use of 9.5mm HMA Surface rather than the original 12.5mm HMA. The total amount of Hand Placed tonnage.

### **ADDENDUM #1 BID FORM**

| MDOT ITEM | DESCRIPTION   | UNIT | QNTY   | UNIT COST    | TOTAL COST |
|-----------|---|------|--------|--------------|------------|
| 202.20    | Remove Bituminous Concrete Pavement                                     | SY   | 120    |              |            |
| 202.202   | Remove Pavement Surface   | SY   | 4,000  |              |            |
| 202.203   | Pavement Butt Joints  | SY   | 400    |              |            |
| 304.14    | Aggregate Base Course - Type A (DW)                                     | TON  | 50     |              |            |
| 304.141   | ¾" Type A Shoulder Gravel   | TON  | 1,600  |              |            |
| 403.209   | Hot Mix Asphalt, Hand Placed  | TON  | 250    |              |            |
| 403.211   | Hot Mix Asphalt, 9.5mm Shim   | TON  | 1,750  |              |            |
| 403.213   | Hot Mix Asphalt, 9.5mm Surface  | TON  | 4,600  |              |            |
| 409.15    | Bituminous tack coat, applied   | GAL  | 5,550  |              |            |
| 604.18    | Adjust Existing Manhole or Catch basin to Grade                         | EA   | 20     |              |            |
| 615.08    | Loam and Seed   | SY   | 300    |              |            |
| 627.711   | 4" Single White or Yellow Pavement Marking Line                         | LF   | 14,840 |              |            |
| 627.733   | 4" Double Yellow Pavement Marking Lines                                 | LF   | 5,600  |              |            |
| 627.75    | White Pavement Markings – Stop bars, crosswalks, and directional arrows | SF   | 865    |              |            |
| 652.381   | Traffic Officers  | HR   | 40     | \$106.00     | \$4,240.00 |
| 652.39    | Traffic Control   | LS   | 1      |              |            |
| 659.1     | Mobilization  | LS   | 1      |              |            |
|           |   |      |        | <b>TOTAL</b> |            |

### **BID ALTERNATE #1 FORM**

| MDOT ITEM | DESCRIPTION                    | UNIT | QNTY | UNIT COST    | TOTAL COST |
|-----------|--------------------------------|------|------|--------------|------------|
| 830.18    | Adjust Water Valves to Grade   | EA   | 22   |              |            |
| 830.20    | Adjust Sewer Manholes to Grade | EA   | 5    |              |            |
|           |                                |      |      | <b>TOTAL</b> |            |

BASIS OF AWARD ADDENDUM #1 BID FORM  
2026 PAVEMENT RESURFACING PROJECT  
AUBURN, ME

|                                 |    |
|---------------------------------|----|
| 1. BASE BID<br>(BASIS OF AWARD) | \$ |
| 2. BID ALTERNATE #1             | \$ |

Written total amount is: \_\_\_\_\_

Company Name: \_\_\_\_\_

Signed by: \_\_\_\_\_

Title: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

Tel. # \_\_\_\_\_

Date: \_\_\_\_\_

Addendum Acknowledged:

# \_\_\_\_\_ Date \_\_\_\_\_

# \_\_\_\_\_ Date \_\_\_\_\_